

333 Pflingsten Road
Northbrook, Illinois 60062-2096
(708) 272-8800
FAX No. (708) 272-8129
MCI Mail No. 254-3343
Cable ULINC NORTHBROOK, IL
Telex No. 6502543343



Underwriters Laboratories Inc.®

UL FP DEPT. FAX NUMBER: (708) 272-2020
FAX OPERATOR: (708) 272-8800 X2021

FAX NO: (801) 977-9749
NUMBER OF PAGES INCLUDING THIS ONE: 1

November 13, 1992

Won-Door Corporation
Mr. Tim Welch
1865 South 3480 West
Salt Lake City, UT 84104

Our Reference: R6799

Dear Mr. Welch:

This letter is being sent per your request through Gus Degenkolb.

This letter will confirm that, as part the installation of your Classified Special Purpose Door Assemblies, untreated plywood is used in the header assembly. The use of this type of header assembly is based on conducting full scale fire and hose stream tests on the assemblies constructed with untreated plywood.

I would like to remind you that the label of Underwriters Laboratories on or with the product is the only method provided by Underwriters Laboratories Inc. to identify those products produced under UL's Listing/Classification and Follow-up Service Programs.

Very truly yours,

HOWARD J. GRUSZYNSKI
Engineering Group Leader
Engineering Services